


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("20050057503").PN.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/10/26 10:54
L2	1	(SHELTON-VIKKI-D or SHELTON-VIKKI-\$ or SHELTON-VIKKI or SHELTON-VIK\$).in.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:08
L3	5605	345/156,157,158,163,164, 165,166.ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:08
L4	757	D14/300,356,388,402,403, 404,405,406,407,408,409,410. ccls.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:08
L5	15070	(mouse or right) near button	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:08
L6	312669	mouse	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:08
L7	2510763	edge	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:08

L8	424893	button	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:08
L9	3191758	space or gap	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:08
L10	5708223	base or bottom	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:08
L11	547142	inoperative or depress\$4	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:08
L12	113893	(operat\$4 or depress\$4 or press\$4 or push\$4) near prevent\$4	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:08
L13	8188	button near (lock\$4 or prevent\$4)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:09
L14	1964366	thickness	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:09

L15	2741966	insert\$4	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:09
L16	312305	orthogonal\$3	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:09
L17	169427	L-shaped	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:09
L18	1986804	electrical cord	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:09
L19	220863	cord	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:09
L20	3202665	power	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:09
L21	3263898	attach\$5	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:09

L22	655248	removabl\$2	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:09
L23	296304	elongate	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:09
L24	3035910	annular or circular or ring	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:09
L25	4695	radial near slit	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:09
L26	433446	slit or slice	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:09
L27	492287	planar	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:09
L28	3575	grip\$5 near tab	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:09

L29	538588	leg	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:09
L30	1698932	plastic	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/10/26 11:09


10/26/05